

MAC INTERNATIONAL

PRODUCT CATALOGUE 2016 EDITION



THE UK'S PREMIER CLEANING EQUIPMENT SUPPLIER

MOBILE PRESSURE WASHERS
STATIC PRESSURE WASHERS
FLOORCARE

WWW.MACINTERNATIONAL.CO.UK

CONTENTS

MAC WASHMASTER MOBILE PRESSURE WASHER RANGE

PAGE 6-9
MAC AVANT RANGE



PAGE 10-12
MAC DROP RANGE



PAGE 13
MAC LUX



PAGE 14-15
MAC ELECTRICALLY
HEATED PRESSURE
WASHERS



PAGE 16-17
MAC ENGINE DRIVEN
PRESSURE WASHERS



PAGE 18-21
MAC COLD MOBILE
PRESSURE WASHERS



MAC WASHMASTER STATIC PRESSURE WASHER RANGE

PAGE 24-25
MAC PLANTMASTER
RANGE



PAGE 26-27
MAC PLANTMASTER
STAINLESS STEEL
RANGE



PAGE 28
MAC TWIN
PLANTMASTER
RANGE



PAGE 29-31
MAC COLD
PLANTMASTER
RANGE



PAGE 32-33
MAC FIX RANGE



MAC FLOORMASTER SWEEPER RANGE

PAGE 36
MAC PEDESTRIAN
SWEEPERS



PAGE 37
MAC SW65RB
RIDE-ON SWEEPER



PAGE 38-39
MAC SW70R
RANGE



PAGE 40-41
MAC SW70R STYLE
RANGE



PAGE 42-43
MAC SW78R GEMMA
RANGE



MAC FLOORMASTER SCRUBBER DRIER RANGE

PAGE 46
MAC SD700T
SCRUBBER DRIER



PAGE 47-49
MAC 500
SCRUBBER DRIER
RANGE



PAGE 50-51
MAC COMPACT
SCRUBBER DRIER
RANGE



PAGE 52
MAC ELECTRIC
SCRUBBER DRIER
RANGE



PAGE 53-55
MAC RIDE-ON
SCRUBBER DRIER
RANGE



THE CARPET & UPHOLSTERY EXTRACTION CLEANER RANGE

PAGE 58-59
MAC EXTRACTION
CLEANER RANGE



MAC WASHMASTER
THE MOBILE PRESSURE
WASHER RANGE





AVANT

MAC
INTERNATIONAL

min
2bar
IN

MAC AVANT RANGE

HOT MOBILE PRESSURE WASHER



THE NUMBER ONE INDUSTRIAL PRESSURE WASHER

- Highly professional hot pressure washer
- Perfect for all heavy-duty industrial applications
- High flow rate and pressure
- Steam stage with low pressure steam valve
- Proven reliability

STANDARD FEATURES

- Heavy-duty steel chassis
- Stainless steel cover
- Professional Interpump with ceramic pistons
- Industrial 1450rpm 4 pole electric Nicolini motor
- Automatic stop/start system
- MAC high efficiency boiler system
- 4 large anti-shock rubber wheels for tough terrain
- Large 31ltr easy fill fuel tank with low level sensor
- Water break tank with type AB airgap
- High pressure chemical system
- Plastic lance holder
- Steam stage with low pressure steam valve
- Bypass valve and safety valve
- Pressure gauge
- Burner control with flow switch and thermostat
- 24v low tension safety controls
- Low level fuel warning lamp with burner shutdown
- Mains power on lamp
- Including 10mt high pressure hose, single lance and RL37 washgun with swivel



HIGH EFFICIENCY BOILER SYSTEM AS STANDARD



SIMPLE CONTROLS



ANTI-SHOCK RUBBER WHEELS

THE MAC AVANT: COMPLETE WITH A FULL HOST OF MARKET LEADING INDUSTRIAL FEATURES



IMAGE SHOWS AVANT WITH STAINLESS STEEL HOSE REEL AND LANCE HOLDER

30 SECOND AUTO STOP/START



MAC AVANT OPTIONAL ACCESSORIES



STAINLESS STEEL LANCE HOLDER



20MT STAINLESS STEEL HOSE REEL



STAINLESS STEEL WATER TANK WITH TYPE AB AIRGAP

	MAC1	MAC5	MAC49	MAC7
Water Flow	12lt per minute	15lt per minute	21lt per minute	9lt per minute
Pressure	100bar, 1500psi	200bar, 3000psi	200bar, 3000psi	100bar, 1500psi
Motor Specification	3hp, 1450rpm	7.5hp, 1450rpm	10hp, 1450rpm	3hp, 1450rpm
Chemical	High Pressure	High Pressure	High Pressure	High Pressure
Shutdown System	Auto Stop/Start	Auto Stop/Start	Auto Stop/Start	Auto Stop/Start
Temperature	0-150°C	0-150°C	0-150°C	0-150°C
Power	240v	415v	415v	110v
Weight	120kg	130kg	140kg	120kg
Dimensions (h x w x d)	85 x 63 x 100cm			



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

MAC AVANT GRP

HOT MOBILE PRESSURE WASHER

30 SECOND
AUTO STOP/START



THE AVANT WITH GRP PLASTIC COVER

- Highly professional hot pressure washer
- Full Avant specification
- 240v, 415v & 110v options
- Strong GRP plastic cover
- Proven Avant reliability & performance

	MAC3	MAC4	MAC49/GRP	MAC7/GRP
Water Flow	12lt per minute	15lt per minute	21lt per minute	9lt per minute
Pressure	100bar, 1500psi	200bar, 3000psi	200bar, 3000psi	100bar, 1500psi
Motor Specification	3hp, 1450rpm	7.5hp, 1450rpm	10hp, 1450rpm	3hp, 1450rpm
Chemical	High Pressure	High Pressure	High Pressure	High Pressure
Shutdown System	Auto Stop/Start	Auto Stop/Start	Auto Stop/Start	Auto Stop/Start
Temperature	0-150°C	0-150°C	0-150°C	0-150°C
Power	240v	415v	415v	110v
Weight	110kg	120kg	140kg	110kg
Dimensions (h x w x d)	85 x 63 x 100cm			



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION
AT WWW.MACINTERNATIONAL.CO.UK

MAC AVANT K SERIES

HOT MOBILE PRESSURE WASHER



THE AVANT ZERO PRESSURE RANGE

- Highly professional hot pressure washer
- Perfect for all heavy-duty and industrial hot water washing
- 240v or 415v options available
- Timed shutdown system

	MAC8	MAC10
Water Flow	12lt per minute	15lt per minute
Pressure	100bar, 1500psi	200bar, 3000psi
Motor Specification	3hp, 1450rpm	7.5hp, 1450rpm
Chemical	High Pressure	High Pressure
Shutdown System	Timed Shutdown – Zero Pressure	Timed Shutdown – Zero Pressure
Temperature	0-150°C	0-150°C
Power	240v	415v
Weight	120kg	130kg
Dimensions (h x w x d)	85 x 63 x 100cm	85 x 63 x 100cm



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION
AT WWW.MACINTERNATIONAL.CO.UK

MAC AVANT XL

HOT MOBILE PRESSURE WASHER



FLAME FAILURE AND
LEAK DETECTION
SYSTEM



THE AVANT XL HEAVY-DUTY

- Heavy-duty machine construction
- Highly professional hot pressure washer
- Flame failure & leak detection
- MAC high efficiency boiler system
- Stainless steel hinged cover
- Double bearing 10hp motor for high usage

MAC49XL

Water Flow	21lt per minute
Pressure	200bar, 3000psi
Motor Specification	10hp, 1450rpm Double Bearing
Chemical	High Pressure
Shutdown System	Auto Stop/Start
Shutdown System	Flame Failure & Leak Detection
Temperature	0-150 °C
Power	415v
Weight	200kg
Dimensions (h x w x d)	98 x 66 x 113cm



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION
AT WWW.MACINTERNATIONAL.CO.UK

MAC AVANT OPTIONAL ACCESSORIES



AVANT/ACC001
**STAINLESS STEEL
HOSE REEL KIT**
20mt manual hose reel
with mounting kit



AVANT/ACC004
FROST PROTECTION
Including 60 watt heater tube
& thermostat



AVANT/ACC002
**STAINLESS STEEL
LANCE HOLDER**
Fitted



AVANT/ACC005
**6LT STAINLESS STEEL
BREAK WATER TANK**
Including float valve, fittings, type AB
airgap, fitted to machine



AVANT/ACC003
**FLAME FAILURE &
LEAK DETECTION** 
With photo cell and PCB upgrade
and fitting



AVANT/ACC006
**TST (TOTAL STOP TIMER)
SYSTEM**

MAC DROP REVOLUTION

HOT MOBILE PRESSURE WASHER



THE THREE MAIN REASONS FOR THE DROP REVOLUTION'S SUCCESS

- 1 **LOW REVVING 1450RPM PUMP & MOTOR**
- 2 **30 SECOND AUTO STOP/ START SYSTEM**
- 3 **HIGH PRESSURE DETERGENT SYSTEM**

OTHER FEATURES AS STANDARD

- Tough GRP plastic chassis and cover
- Annovi Reverberi RC 11.17 pump
- Industrial 1450rpm 4 pole electric Nicolini motor
- Automatic stop/start system
- Efficient M1 boiler system with double spiral coil
- Stainless steel water tank
- High pressure chemical system
- 7lt internal detergent tank in GRP
- 22lt internal fuel tank in GRP
- 4 large robust wheels for tough terrain
- Bypass valve and safety valve
- Burner control with pressure switch and thermostat
- Including 10mt high pressure hose, single lance and heavy-duty trigger



30 SECOND
AUTO STOP/START



	MAC18/RA	MAC18/110
Water Flow	11lt per minute	11lt per minute
Pressure	120bar, 1740psi	120bar, 1740psi
Motor Specification	3hp, 1450rpm	3hp, 1450rpm
Chemical	High Pressure	High Pressure
Shutdown System	Auto Stop/Start	Auto Stop/Start
Temperature	0-100°C	0-100°C
Power	240v	110v
Weight	90kg	90kg
Dimensions (h x w x d)	86 x 60 x 90cm	86 x 60 x 90cm



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK



CHOOSE YOUR COLOUR

THE INDUSTRIAL FEATURES

OF THE MAC DROP REVOLUTION



“**UNDOUBTEDLY THE HIGHEST SPECIFICATION OF ANY PRESSURE WASHER IN IT'S CLASS IN THE UK**”
 SIMON RUCK, MAC INTERNATIONAL



COMPLETE WITH OPTIONAL HOSE REEL




SIMPLE CONTROLS



HIGH PRESSURE CHEMICAL SYSTEM WITH VALVE



QUALITY ANNOVI REVERBERI PUMP



OPTIONAL HOSE REEL KIT



STAINLESS STEEL WATER TANK



HIGH QUALITY LOW REVVING 1450RPM MOTOR

MAC DROP PRO

HOT MOBILE PRESSURE WASHER



THE MAC DROP PRO GIVES YOU TOTAL VERSATILITY

- Robust and reliable hot mobile pressure washer
- Perfect for hot water cleaning
- Low revving 1450rpm motor
- High pressure chemical
- Interpump W98 as standard

STANDARD FEATURES

- Tough GRP plastic chassis and cover
- Professional Interpump W98 with ceramic pistons
- Industrial 1450rpm 4 pole electric Nicolini motor
- Automatic stop/start system
- Efficient M1 boiler system with double spiral coil
- Stainless steel water tank
- High pressure chemical system
- 7lt Internal detergent tank in GRP
- 22lt Internal fuel tank in GRP
- 4 large robust wheels for tough terrain
- Bypass valve and safety valve
- Burner control with pressure switch and thermostat
- Pressure gauge
- Including 10mt high pressure hose, single lance and heavy-duty trigger

MAC18

Water Flow	11lt per minute
Pressure	100bar, 1500psi
Motor Specification	3hp, 1450rpm
Chemical	High Pressure
Shutdown System	Auto Stop/Start
Temperature	0-100 °C
Power	240v
Weight	90kg
Dimensions (h x w x d)	86 x 60 x 90cm



STAINLESS STEEL WATER TANK



OPTIONAL HOSE REEL KIT



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

MAC LUX

HOT MOBILE PRESSURE WASHER



THE ICONIC MAC LUX

- Professional hot pressure washer
- Designed for significant daily use
- Ideal for the automotive industry
- Robust stainless steel cover for strength and reliability

STANDARD FEATURES

- Stainless steel cover
- Heavy-duty steel chassis
- Professional Interpump with ceramic pistons
- Industrial 1450rpm 4 pole electric Nicolini
- Automatic stop/start system
- Efficient M1 boiler system with double spiral coil
- Water break tank
- High pressure chemical system
- 4 large robust wheels for tough terrain
- Bypass valve and safety valve
- Pressure gauge
- Burner control with flow switch and thermostat
- 24v low tension safety controls
- Low level fuel warning lamp with burner shut down
- Mains power on lamp
- Including 10mt high pressure hose, single lance and heavy-duty trigger

	MAC2	MAC6
Water Flow	11lt per minute	14lt per minute
Pressure	100bar, 1500psi	150bar, 2200psi
Motor Specification	3hp, 1450rpm	5.5hp, 1450rpm
Chemical	High Pressure	High Pressure
Shutdown System	Auto Stop/Start	Auto Stop/Start
Temperature	0-100 °C	0-100 °C
Power	240v	415v
Weight	110kg	125kg
Dimensions (h x w x d)	80 x 60 x 80cm	80 x 60 x 80cm



EFFICIENT M1 BOILER SYSTEM



HIGH QUALITY INTERPUMP



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

MAC PERMAHOT

ELECTRICALLY HEATED PRESSURE WASHER



PERMAHOT

THE PERMAHOT RANGE UTILISES OUR PATENTED 3 X 4KW SOLID ELEMENT HEATING SYSTEM PRODUCING UP TO 90°C CONSTANT HEAT

- Electrically heated mobile and static options
- 90°C constant temperature
- Low water usage
- 415v - 32 Amp supply
- Strong stainless steel construction
- Automatic water softening system
- Unique after pump heating system

	MAC63 - STATIC	MAC64 - LASER
Water Flow	6lt per minute	6lt per minute
Pressure	150bar, 2200psi	150bar, 2200psi
Motor Specification	5.5hp, 1450rpm	5.5hp, 1450rpm
Shutdown System	Instant Stop	Instant Stop
Temperature	0-90°C Constant	0-90°C Constant
Power	415v, 32amps	415v, 32amps
Weight	100kg	100kg
Dimensions (h x w x d)	51 x 96 x 59cm	97 x 60 x 106cm



IDEAL FOR HOT WATER WASHING IN FOOD FACTORIES



AUTOMATIC WATER SOFTENING SYSTEM



PATENTED SEALED HEATING ELEMENTS WITH DISTRIBUTION MANIFOLD

FEATURES & BENEFITS

OF THE MAC PERMAHOT RANGE

PERMAHOT

AT LAST, FOR THE FIRST TIME IN THE INDUSTRY A TRULY ALL ELECTRIC, CONSTANTLY HEATED 90°C PRESSURE WASHER, COMPLETELY UNIQUE AND GROUND BREAKING.

- Constant 90°C heat
- Instant hot water
- 32amp low power supply
- No diesel fumes
- Low water usage
- Heavy-duty steel chassis
- Easy to use
- Simple 24v safety controls
- Mobile or static options available
- Stainless steel for food applications
- 12kw low cost heating system
- Colour coded gun and lance system
- Foaming options
- Versatile use
- Stainless steel manual hose reel for the Permahot Laser
- No competition on the market



Winner of the 'Pressure Washer Innovation Award' at the Cleaning Show 2013.



VIEW THE PERMAHOT PRODUCT VIDEO AT WWW.PERMAHOT.CO.UK

eSERVICE
FROM MAC INTERNATIONAL



MAC ELEKTRA

ELECTRICALLY HEATED PRESSURE WASHER



THE MAC ELEKTRA IS A CONVENTIONAL 18KW ELECTRICALLY HEATED MACHINE

- Full stainless steel chassis and cover
- Stainless steel boiler system
- 3 x 6kw heating elements
- 0-80°C temperature
- High temperature professional Interpump
- 415v, 64amps

	MAC61
Water Flow	12lt per minute
Pressure	150bar, 2200psi
Motor Specification	4hp, 1450rpm
Chemical	Low Pressure
Shutdown System	Auto Stop/Start & Leak Detection
Temperature	0-80°C
Power	415v - 64amps power supply
Weight	150kg
Dimensions (h x w x d)	102 x 70 x 105cm



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

MAC ZEUS

HOT DIESEL PRESSURE WASHER



ZEUS

THE HOT DIESEL DRIVEN PRESSURE WASHER

- 12v burner system
- High efficiency MAC boiler system
- Yanmar L100N Diesel Engine
- Robust steel frame


STANDARD FEATURES

- Yanmar L100N 6C air cooled diesel engine
- 12v burner system
- MAC high efficiency boiler system
- Professional Interpump with ceramic pistons
- Automatic stop/start system
- Gearbox reduction for 1450rpm
- Electric engine start with key switch
- High pressure chemical system
- 2 large pneumatic wheels
- 2 heavy-duty lockable castor wheels
- 31lt easy fill fuel tank
- 4.7lt diesel tank for engine
- 6lt/hour fuel consumption
- Robust steel frame and chassis
- Chassis lifting hooks
- Burner on/off switch and thermostat control
- 40mt capacity stainless steel hose reel



YANMAR ENGINE

	ZEUS1	ZEUS2	ZEUS3
Water Flow	15lt per minute	21lt per minute	15lt per minute
Pressure	200bar, 3000psi	200bar, 3000psi	250bar, 3625psi
Engine	Yanmar 10hp, 7.4kw	Yanmar 10hp, 7.4kw	Yanmar 10hp, 7.4kw
Chemical	High Pressure	High Pressure	High Pressure
Fuel Source	Diesel	Diesel	Diesel
Shutdown System	Auto Stop/Start	Auto Stop/Start	Auto Stop/Start
Temperature	0-100°C	0-100°C	0-100°C
Weight	275kg	275kg	275kg
Dimensions (h x w x d)	110 x 80 x 140cm	110 x 80 x 140cm	110 x 80 x 140cm



40MT CAPACITY STAINLESS STEEL MANUAL HOSE REEL AS STANDARD



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

MAC ROBOT

COLD ENGINE DRIVEN PRESSURE WASHER



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION
AT WWW.MACINTERNATIONAL.CO.UK

THE INDUSTRIAL PETROL & DIESEL DRIVEN COLD PRESSURE WASHER

- Petrol & diesel options available
- Heavy-duty build quality
- Steel chassis with stainless steel cover
- Professional Interpump fitted as standard

	Diesel	Petrol
Water Flow	18lt per minute	15lt per minute
Pressure	180bar, 2610psi	200bar, 3000psi
Engine	Hatz 1B40T	Honda GX390
Startup	Electric	Manual
Construction	Steel frame, stainless steel cover	Steel frame, stainless steel cover
Weight	115kg	110kg
Dimensions (h x w x d)	75 x 55 x 90cm	75 x 55 x 90cm

MAC BY-TURBO

HOTBOX PRESSURE WASHER



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION
AT WWW.MACINTERNATIONAL.CO.UK

WASHMASTER RANGE | HOTBOX PRESSURE WASHERS

TURN YOUR COLD MACHINE INTO A HOT MACHINE

- Available in 240v or 110v
- MAC high efficiency boiler system
- Flow switch protection
- Burner on/off switch and thermostat



	HOTBOX1	HOTBOX2
Water Flow	12lt, 15lt or 21lt cold water input	12lt, 15lt or 21lt cold water input
Pressure	200bar max	200bar max
Construction	Steel chassis, stainless steel	Steel chassis, stainless steel
Chemical	As per cold machine	As per cold machine
Temperature	0 - 100°C dependant on input	0 - 100°C dependant on input
Power Requirement	240v	110v
Weight	80kg	80kg
Dimensions (h x w x d)	76 x 41 x 65cm	76 x 41 x 65cm

MAC ATOM XL

COLD MOBILE PRESSURE WASHER



30 SECOND
AUTO STOP/START
MAC154 & MAC155



AT LAST A COLD MACHINE RANGE WITH QUALITY AND CHOICE

- High quality machine build
- Stainless steel cover
- Robust steel chassis
- Low revving 1450rpm industrial motor

STANDARD FEATURES


- Painted steel chassis
- Stainless steel cover
- Reliable Annovi Reverberi pump
- Industrial 1450rpm 4 pole electric Nicolini motor
- Automatic stop/start on the MAC154 & MAC155
- Internal water tank as standard on the MAC154 & MAC155
- Low or high pressure chemical system
- 2 large robust wheels for tough terrain
- Bypass valve
- Current thermal overload protection
- Including 10mt high pressure hose, single lance with swash nozzle and heavy-duty trigger



MAC155 AUTO WITH HIGH PRESSURE CHEMICAL

Bypass or Auto Stop/Start machine options available

	MAC152	MAC153	MAC154	MAC155
Water Flow	11lt per minute	15lt per minute	11lt per minute	15lt per minute
Pressure	120bar, 1740psi	200bar, 3000psi	120bar, 1740psi	150bar, 2200psi
Motor Specification	3hp, 1450rpm	7.5hp, 1450rpm	3hp, 1450rpm	5.5hp, 1450rpm
Chemical	Low Pressure	Low Pressure	High Pressure	High Pressure
Shutdown System	Bypass	Bypass	Auto Stop/Start	Auto Stop/Start
Power	240v	415v	240v	415v
Weight	70kg	80kg	70kg	80kg
Dimensions (h x w x d)	95 x 50 x 80cm			



MAC ATOM STD

COLD MOBILE PRESSURE WASHER



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION
AT WWW.MACINTERNATIONAL.CO.UK

HIGHLY MANOEVRABLE, ULTRA MOBILE COLD PRESSURE WASHER WITH NO COMPROMISE ON QUALITY

- A powerful 150bar, 2200psi cold pressure washer
- Ideal for general automotive, domestic or light industrial work
- Strong stainless steel cover

MAC150

Water Flow	9lt per minute
Pressure	150bar, 2200psi
Motor Specification	3hp, 2800rpm
Chemical	Low Pressure
Shutdown System	Instant Stop
Power	240v
Weight	30kg
Dimensions (h x w x d)	81 x 40 x 65cm

MAC QUARK

COLD MOBILE PRESSURE WASHER



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION
AT WWW.MACINTERNATIONAL.CO.UK

A POWERFUL COLD PRESSURE WASHER, PERFECT FOR ALL DOMESTIC TO LIGHT INDUSTRIAL CLEANING

- Strong painted steel frame
- Easy to carry and transport
- High pressure 150bar, 2200psi
- Quality Annovi Reverberi pump and motor unit
- Perfect for automotive, domestic or light industrial work

MAC156

Water Flow	9lt per minute
Pressure	150bar, 2200psi
Motor Specification	3hp, 2800rpm
Chemical	Low Pressure
Shutdown System	Instant Stop
Power	240v
Weight	20kg
Dimensions (h x w x d)	46 x 26 x 30cm

MAC LASER

COLD MOBILE PRESSURE WASHER



30 SECOND
AUTO STOP/START

PERFECT FOR AGGRESSIVE ENVIRONMENTS AND HARD USAGE

- Ultra heavy-duty cold pressure washer
- Strong and robust stainless steel chassis and cover
- High performance
- Professional Interpump with ceramic pistons
- Industrial low revving Nicolini motor

	MAC17	MAC23	MAC19	MAC11
Water Flow	12lt per minute	15lt per minute	9lt per minute	21lt per minute
Pressure	100bar, 1500psi	200bar, 3000psi	100bar, 1500psi	200bar, 3000psi
Motor Specification	3hp, 1450rpm	7.5hp, 1450rpm	3hp, 1450rpm	10hp, 1450rpm
Chemical	Low Pressure	Low Pressure	Low Pressure	Low Pressure
Shutdown System	Auto Stop/Start	Auto Stop/Start	Auto Stop/Start	Auto Stop/Start
Power	240v	415v	110v	415v
Weight	60kg	70kg	60kg	85kg
Dimensions (h x w x d)	80 x 60 x 60cm			



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION
AT WWW.MACINTERNATIONAL.CO.UK

MAC LASER HT

COLD MOBILE PRESSURE WASHER



30 SECOND
AUTO STOP/START

FITTED WITH A HIGH TEMPERATURE PUMP CAPABLE OF ACCEPTING HOT WATER UP TO 85°C

- Ultra heavy-duty cold pressure washer
- Strong and robust stainless steel chassis and cover
- High temperature pump to take hot water industrial work
- Perfect for the food industry

	MAC17HT	MAC23HT	MAC18HT
Water Flow	11lt per minute	13lt per minute	18lt per minute
Pressure	100bar, 1500psi	170bar, 2465psi	160bar, 2320psi
Motor Specification	3hp, 1450rpm	5.5hp, 1450rpm	7.5hp, 1450rpm
Chemical	Low Pressure	Low Pressure	Low Pressure
Shutdown System	Auto Stop/Start	Auto Stop/Start	Auto Stop/Start
Power	240v	415v	415v
Weight	60kg	70kg	80kg
Dimensions (h x w x d)	80 x 60 x 60cm	80 x 60 x 60cm	80 x 60 x 60cm



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION
AT WWW.MACINTERNATIONAL.CO.UK

MAC CAYMAN

COLD MOBILE PRESSURE WASHER



30 SECOND
AUTO STOP/START

A STYLISH, ROBUST AND RELIABLE COLD PRESSURE WASHER

- Professional cold water pressure washer
- High pressure and flow rate
- 1450rpm low revving industrial motor
- Adjustable handle
- Front castor wheel with brake

	MAC28	MAC50
Water Flow	12lt per minute	15lt per minute
Pressure	100bar, 1500psi	200bar, 3000psi
Motor Specification	3hp, 1450rpm	7.5hp, 1450rpm
Chemical	Low Pressure	Low Pressure
Shutdown System	Auto Stop/Start	Auto Stop/Start
Power	240v	415v
Weight	70kg	80kg
Dimensions (h x w x d)	94 x 55 x 80cm	94 x 55 x 80cm



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION
AT WWW.MACINTERNATIONAL.CO.UK

MAC TORNADO

COLD MOBILE PRESSURE WASHER



AN ULTRA POWERFUL HEAVY-INDUSTRIAL COLD PRESSURE WASHER WITH A CHOICE OF OPTIONS

- Pressure options from 180-450bar
- Water flow options from 15lt to 41lt per minute
- Robust steel chassis and stainless steel panels
- Zero pressure, timed shutdown system
- Rear castor wheels with brake

	TORNADO1	TORNADO2	TORNADO3
Water Flow	15lt per minute	25lt per minute	41lt per minute
Pressure	450bar, 6525psi	250bar, 3600psi	180bar, 2610psi
Motor Specification	20hp, 1450rpm	18hp, 1450rpm	20hp, 1450rpm
Chemical	Low Pressure	Low Pressure	Low Pressure
Shutdown System	Zero Pressure Timed Shutdown	Zero Pressure Timed Shutdown	Zero Pressure Timed Shutdown
Power	415v	415v	415v
Weight	180kg	160kg	160kg
Dimensions (h x w x d)	100 x 80 x 95cm	100 x 80 x 95cm	100 x 80 x 95cm



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION
AT WWW.MACINTERNATIONAL.CO.UK

MAC WASHMASTER
THE STATIC PRESSURE
WASHER RANGE

WARNING
This cabinet is
frost protected
to -5°C only



PlantMaster

MAC
INTERNATIONAL

PlantMaster



MAC
INTERNATIONAL

MAC PLANTMASTER RANGE

HOT STATIC PRESSURE WASHER



THE MAC PLANTMASTER RANGE REPRESENTS THE ULTIMATE IN STRENGTH, SECURITY AND RELIABILITY PROVIDING OUR CUSTOMERS WITH OPTIONS FOR EVERY EVENTUALITY

- Highly professional hot static pressure washer
- Perfect for daily heavy-duty industrial cleaning
- Powder coated steel cabinet with lockable controls and steel door
- Upgrade your Plantmaster Standard and choose from a whole range of additional accessories



FLAME FAILURE AND
LEAK DETECTION SYSTEM



30 SECOND
AUTO STOP/START

CHOOSE YOUR COLOUR



	PLANTMASTER1	PLANTMASTER3	PLANTMASTER2	PLANTMASTER4
Water Flow	12lt per minute	15lt per minute	15lt per minute	21lt per minute
Pressure	100bar, 1500psi	150bar, 2200psi	200bar, 3000psi	200bar, 3000psi
Motor Specification	3hp, 1450rpm	5.5hp, 1450rpm	7.5hp, 1450rpm	10hp, 1450rpm
Chemical	High Pressure	High Pressure	High Pressure	High Pressure
Shutdown System	Auto Stop/Start	Auto Stop/Start	Auto Stop/Start	Auto Stop/Start
Temperature	0-100°C	0-100°C	0-100°C	0-100°C
Power	240v	415v	415v	415v
Weight	230kg	240kg	250kg	270kg
Dimensions (h x w x d)	160 x 82 x 56cm			



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

STANDARD FEATURES OF THE MAC PLANTMASTER RANGE



- Professional Interpump with ceramic pistons
- Industrial 1450rpm 4 pole electric Nicolini motor
- Automatic stop/start system
- MAC high efficiency boiler system
- Flame failure and leak detection system
- Full frost protection and cabinet lagging
- Internal break water tank
- 31lt easy fill fuel tank with low level sensor
- High pressure chemical system
- Burner control with ST7 flow switch and thermostat
- 24v low tension safety controls
- Mains power on lamp

CABINET FINISH

- Powder coated steel cabinet with lockable controls
- High quality matte paint finish
- Lockable powder coated steel front door
- Zinc phosphate steel pre-treatment for weather proofing

CHOOSE FROM A WHOLE HOST OF BESPOKE OPTIONS AND ACCESSORIES:

- Choice of door colours
- Internal and external hose reels
- Upgraded fuel and water tanks
- Key fob and remote control systems
- Timed and non-timed chemical systems
- Bulk fuel, chemical or water supply



EXAMPLES OF ACCESSORIES & OPTIONS FOR ALL PLANTMASTERS



RETRACTABLE POWDER COATED
STEEL HOSE REEL



TAILOR MADE
CONTROL SYSTEM



STAINLESS STEEL
OPTION AVAILABLE

MAC PLANTMASTER S.S.

HOT STATIC PRESSURE WASHER



THE MAC PLANTMASTER IS NOW AVAILABLE IN FULL STAINLESS STEEL TO MEET THE GROWING DEMAND FOR QUALITY AND DURABILITY

STANDARD FEATURES

- High quality, full stainless steel cabinet
- Lockable stainless steel front door
- Professional Interpump with ceramic pistons
- Industrial 1450rpm 4 pole electric Nicolini motor
- Automatic stop/start system
- MAC high efficiency boiler system
- Flame failure and leak detection system
- Full frost protection and cabinet lagging
- Internal break water tank
- 31lt easy fill fuel tank with low level sensor
- High pressure chemical system
- Bypass and safety valve
- Burner control with flow switch and thermostat
- 24v low tension safety controls
- Mains power on lamp



FLAME FAILURE AND LEAK DETECTION SYSTEM



30 SECOND AUTO STOP/START

A FULL RANGE OF OPTIONAL ACCESSORIES ARE AVAILABLE



HOSE REEL OPTION



KEY FOB CONTROL SYSTEM

	PLANTMASTER/SS1	PLANTMASTER/SS2	PLANTMASTER/SS3	PLANTMASTER/SS4
Water Flow	12lt per minute	15lt per minute	15lt per minute	21lt per minute
Pressure	100bar, 1500psi	150bar, 2200psi	200bar, 3000psi	200bar, 3000psi
Motor Specification	3hp, 1450rpm	5.5hp, 1450rpm	7.5hp, 1450rpm	10hp, 1450rpm
Chemical	High Pressure	High Pressure	High Pressure	High Pressure
Shutdown System	Auto Stop/Start	Auto Stop/Start	Auto Stop/Start	Auto Stop/Start
Temperature	0-100°C	0-100°C	0-100°C	0-100°C
Power	240v	415v	415v	415v
Weight	230kg	240kg	250kg	270kg
Dimensions (h x w x d)	160 x 82 x 56cm			



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

STANDARD FEATURES OF THE MAC PLANTMASTER S.S. RANGE



HIGH QUALITY INTERPUMP



31LT EASY FILL INTERNAL FUEL TANK



HIGH EFFICIENCY BOILER SYSTEM



HIGH PRESSURE CHEMICAL SYSTEM



MAC TWIN PLANTMASTER

HOT STATIC PRESSURE WASHER



HIGH QUALITY TWIN HOT MACHINE DESIGNED FOR HEAVY-DUTY TWIN APPLICATIONS, WHERE MAXIMUM PERFORMANCE IS REQUIRED

STANDARD FEATURES

- Professional Interpumps with ceramic pistons
- Industrial 1450rpm 4 pole electric Nicolini motors
- Automatic stop/start system
- 2 x MAC high efficiency boiler systems
- Flame failure and leak detection
- Full frost protection and cabinet lagging
- Internal break water tanks
- 2 x 31lt easy fill fuel tanks with low level sensors
- Bypass and safety valve
- Burner control with flow switch and thermostat
- 24v low tension safety controls
- Mains power on lamp
- Choice of front door colours

CABINET FINISH

- Powder coated steel cabinet with lockable controls
- High quality exterior matte paint finish
- Lockable powder coated steel front door
- Zinc phosphate steel pre-treatment for weather proofing




FLAME FAILURE AND
LEAK DETECTION SYSTEM



30 SECOND
AUTO STOP/START

	PLANTMASTER/T1	PLANTMASTER/T2	PLANTMASTER/T3
Water Flow	2 x 12lt per minute	2 x 15lt per minute	2 x 21lt per minute
Pressure	2 x 100bar, 1500psi	2 x 200bar, 3000psi	2 x 200bar, 3000psi
Motor Specification	2 x 3hp, 1450rpm	2 x 7.5hp, 1450rpm	2 x 10hp, 1450rpm
Chemical	High Pressure	High Pressure	High Pressure
Shutdown System	Auto Stop/Start	Auto Stop/Start	Auto Stop/Start
Temperature	0-100°C	0-100°C	0-100°C
Power	240v	415v	415v
Weight	460kg	500kg	540kg
Dimensions (h x w x d)	160 x 165 x 56cm	160 x 165 x 56cm	160 x 165 x 56cm



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

MAC DUOMASTER

COLD STATIC PRESSURE WASHER



THE DUOMASTER IS DESIGNED FOR PIPELINE SYSTEMS WITH MULTI TAKE-OFF POINTS OR TWO SIMULTANEOUS OPERATORS

- Twin lance operation
- Rotational pump stop/start
- Automatic stop/start
- Hammered paint finish and treated aluminium frame

STANDARD FEATURES

- Heavy-duty treated aluminium frame
- Powder coated steel cabinet
- Professional Interpumps with ceramic pistons
- Industrial 1450rpm 4 pole electric Nicolini motors
- Automatic stop/start system
- Full frost protection and cabinet lagging
- Single or twin outlet
- Lockable front doors & control panel
- 2 x bypass valves and safety valves
- 2 x pressure accumulators
- 2 x pressure gauges
- 2 x stainless steel water tanks
- 24v low tension safety controls
- Mains on lamp
- Including 2 x 10mt hose, gun and lance assemblies



	DUOMASTER1	DUOMASTER2
Water Flow	2 x 15lt per minute	2 x 21lt per minute
Pressure	2 x 200bar, 3000psi	2 x 200bar, 3000psi
Motor Specification	2 x 7.5hp, 1450rpm	2 x 10hp, 1450rpm
Chemical	Low Pressure	Low Pressure
Shutdown System	Auto Stop/Start	Auto Stop/Start
Power	415v	415v
Weight	245kg	265kg
Dimensions (h x w x d)	175 x 100 x 60cm	175 x 100 x 60cm



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

MAC COLD PLANTMASTER

COLD STATIC PRESSURE WASHER



MAC COLD PLANTMASTER WITH
OPTIONAL INTERNAL HOSE REEL
AND LANCE HOLDER



30 SECOND
AUTO STOP/START

SPECIFICALLY DESIGNED AND BUILT TO MEET THE NEEDS OF THE MARKET, WHERE A COLD MACHINE IS REQUIRED IN A TOUGH ENVIRONMENT

- Powder coated steel cabinet with a choice of door colours
- Full frost protection and cabinet lagging
- Automatic stop/start system

STANDARD FEATURES

- Full frost protection and cabinet lagging
- Leak detection
- Professional Interpump with ceramic pistons
- Industrial 1450rpm 4 pole electric Nicolini motor
- Automatic stop/start system
- High pressure chemical system
- Bypass and safety valve
- 24v low tension safety controls
- Mains power on lamp

CABINET FINISH

- Powder coated steel cabinet with lockable controls
- High quality matte paint finish
- Lockable powder coated steel front door
- Zinc phosphate steel pre-treatment for weather proofing



	PLANTMASTER/C1	PLANTMASTER/C2	PLANTMASTER/C3
Water Flow	12lt per minute	15lt per minute	21lt per minute
Pressure	100bar, 1500psi	200bar, 3000psi	200bar, 3000psi
Motor Specification	3hp, 1450rpm	7.5hp, 1450rpm	10hp, 1450rpm
Chemical	High Pressure	High Pressure	High Pressure
Shutdown System	Auto Stop/Start	Auto Stop/Start	Auto Stop/Start
Power	240v	415v	415v
Weight	60kg	70kg	80kg
Dimensions (h x w x d)	160 x 82 x 56cm	160 x 82 x 56cm	160 x 82 x 56cm

CHOOSE YOUR COLOUR



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

MAC TWIN COLD PLANTMASTER

COLD STATIC PRESSURE WASHER



BUILT TO MEET THE DEMAND FOR TWIN USER, HIGH VOLUME, COLD WATER WASHING

- Automatic stop/start and leak detection
- Large water tank as standard
- Full frost protection and cabinet lagging

STANDARD FEATURES

- Full frost protection and cabinet lagging
- Leak detection
- Professional Interpump with ceramic pistons
- Industrial 1450rpm 4 pole electric Nicolini motors
- Automatic stop/start system
- High pressure chemical system
- Large 18lt water tank
- Bypass and safety valve
- 24v low tension safety controls
- Mains power on lamp

CABINET FINISH

- Powder coated steel cabinet with lockable controls
- High quality matte paint finish
- Lockable powder coated steel front door
- Zinc phosphate steel pre-treatment for weather proofing



30 SECOND
AUTO STOP/START

	PLANTMASTER/TC1	PLANTMASTER/TC2	PLANTMASTER/TC3
Water Flow	2 x 12lt per minute	2 x 15lt per minute	2 x 21lt per minute
Pressure	2 x 100bar, 1500psi	2 x 200bar, 3000psi	2 x 200bar, 3000psi
Motor Specification	2 x 3hp, 1450rpm	2 x 7.5hp, 1450rpm	2 x 10hp, 1450rpm
Chemical	High Pressure	High Pressure	High Pressure
Shutdown System	Auto Stop/Start	Auto Stop/Start	Auto Stop/Start
Power	240v	415v	415v
Weight	160kg	180kg	200kg
Dimensions (h x w x d)	160 x 82 x 56cm	160 x 82 x 56cm	160 x 82 x 56cm



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

MAC FIX

COLD MODULE PRESSURE WASHER



THE ULTIMATE COLD WALL MOUNTED PRESSURE WASHER WITH A HIGH-GRADE STAINLESS STEEL CONSTRUCTION

- Heavy-duty cold wall mounted pressure washer
- Perfect for the food and automotive industries
- High flow rate and pressure
- Complete with stainless steel wall mounting bracket



	MAC13	MAC14	MAC15
Water Flow	12lt per minute	15lt per minute	21lt per minute
Pressure	100bar, 1500psi	200bar, 3000psi	200bar, 3000psi
Motor Specification	3hp, 1450rpm	7.5hp, 1450rpm	10hp, 1450rpm
Chemical	Low Pressure	Low Pressure	Low Pressure
Shutdown System	Auto Stop/Start	Auto Stop/Start	Auto Stop/Start
Power	240v	415v	415v
Weight	60kg	70kg	80kg
Dimensions (h x w x d)	40 x 76 x 47cm	40 x 76 x 47cm	40 x 76 x 47cm



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

MAC FIX HT

COLD MODULE PRESSURE WASHER



DESIGNED TO ACCEPT HOT WATER UP TO 85°C - PERFECT FOR FOOD FACTORIES

- Up to 85°C inlet temperature
- High temperature Interpump
- Perfect for food factories
- Complete with stainless steel wall mounting bracket

COMPLETE WITH HIGH TEMPERATURE PUMP DESIGNED TO ACCEPT HOT WATER UP TO 85°C

	MAC13HT	MAC14HT	MAC15HT
Water Flow	11lt per minute	13lt per minute	18lt per minute
Pressure	100bar, 1500psi	170bar, 2465psi	160bar, 2320psi
Motor Specification	3hp, 1450rpm	5.5hp, 1450rpm	7.5hp, 1450rpm
Chemical	Low Pressure	Low Pressure	Low Pressure
Shutdown System	Auto Stop/Start	Auto Stop/Start	Auto Stop/Start
Power	240v	415v	415v
Weight	60kg	70kg	80kg
Dimensions (h x w x d)	40 x 76 x 47cm	40 x 76 x 47cm	40 x 76 x 47cm

DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

MAC FIX OPTIONAL ACCESSORIES



FIX/ACC001
6LT STAINLESS STEEL BREAK WATER TANK
 Including float valve, fittings, type AB airgap, fitted to machine



FIX/ACC002
FROST PROTECTION (240V MACHINE)
 Including heater tube and thermostat



FIX/ACC004
LOW WATER FLOW SHUTDOWN SYSTEM



FIX/ACC003
FROST PROTECTION (415V MACHINE)
 Including heater tube, thermostat and upgraded step-down transformer

MAC FLOORMASTER THE SWEEPER RANGE





MAC
SWEEPERS
V78RB
GEMMA

FLOOR SW

MAC SW50

PEDESTRIAN SWEEPER



MAC SW50B
BATTERY MODEL

MAC SW50P
PETROL MODEL

HEAVY-DUTY 500MM PEDESTRIAN FLOOR SWEEPERS

- Robust steel chassis and handle
- Forward traction drive
- Perfect for agricultural and industrial sweeping
- Superb cleaning performance
- Battery or petrol options available

	SW50B BATTERY MODEL	SW50P PETROL MODEL
Sweeping Width Centre Brush	510mm	510mm
Sweeping Width with RH Side Brush	680mm	680mm
Side Brush Width	360mm	360mm
Filter Surface Area	2m ²	2m ²
Working Capacity	2,600m ² per hour	2,600m ² per hour
Waste Hopper Capacity	45lt	45lt
Power Supply	Battery 2 x 6v, 180ah	Petrol Honda 4hp
Traction Drive	Forward	Forward
Weight	78kg	78kg
Dimensions (h x w x d)	85 x 63 x 126cm	85 x 63 x 126cm



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION
AT WWW.MACINTERNATIONAL.CO.UK

MAC SW70

PEDESTRIAN SWEEPER



MAC SW70B
BATTERY MODEL

MAC SW70P
PETROL MODEL

THE 700MM INDUSTRIAL PEDESTRIAN FLOOR SWEEPERS

- Robust steel chassis and handle
- Forward traction drive
- Perfect for agricultural and industrial sweeping
- Superb cleaning performance
- Battery or petrol options available

	SW70B BATTERY MODEL	SW70P PETROL MODEL
Sweeping Width Centre Brush	710mm	710mm
Sweeping Width with RH Side Brush	880mm	880mm
Side Brush Width	360mm	360mm
Filter Surface Area	3m ²	3m ²
Working Capacity	3,700m ² per hour	3,700m ² per hour
Waste Hopper Capacity	60lt	60lt
Power Supply	Battery 2 x 6v, 180ah	Petrol Honda 4hp
Traction Drive	Forward	Forward
Weight	89kg	89kg
Dimensions (h x w x d)	114 x 91 x 152cm	114 x 91 x 152cm



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION
AT WWW.MACINTERNATIONAL.CO.UK

MAC SW65RB

RIDE-ON SWEEPER



THE COMPACT INDUSTRIAL RIDE-ON SWEEPER

- Compact design for small areas
- Unbeatable reliability and performance
- Forward and reverse traction
- Simple controls and easy to operate
- Perfect for narrow aiseways and doorways

STANDARD FEATURES

- High quality robust heavy-duty steel chassis
- Simple mechanical operation
- Simple and easy to use controls
- Forward and reverse traction
- Highly manoeuvrable
- Quick replacement of the brushes with no need for tools
- 5 x polyester cartridge filters
- Electric filter shaker
- Electronic speed control
- Battery level indicator
- Safety horn
- Flashing rear light
- Steel hopper container
- Hopper lifting flap for bulky waste collection
- Complete with PPL main brush, side brush, 2 x 12v wet batteries and charger

OPTIONAL ACCESSORIES

- Complete left hand side brush
- Choice of filters and brushes

MAC SW65RB

Sweeping Width Centre Brush	650mm
Sweeping Width with RH Side Brush	850mm
Filter Surface Area	4m ²
Working Capacity	4,900m ² per hour
Waste Hopper Capacity	55lt
Minimum U Turn Space	2,270mm
Power Supply	2 x 12v 180ah Batteries
Traction Drive	Forward and Reverse
Weight	262kg
Dimensions (h x w x d)	121 x 80 x 115cm

AREAS OF USE

- Factories
- Warehouses
- Narrow Walkways & Aisles
- Production Areas
- Shopping Centres
- Storage Facilities



EASY TO ACCESS
MAIN BRUSH



SIMPLE TO USE
WASTE HOPPER



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

MAC SW70R

RIDE-ON SWEEPER



OUR NUMBER ONE INDUSTRIAL SWEEPER, PERFECT FOR ALL AREAS

- Quality industrial ride-on floor sweeper
- Unbeatable reliability and performance
- Forward and reverse traction
- Robust full steel chassis

STANDARD FEATURES

- Battery or petrol models available
- Robust full steel chassis and side panels
- Simple mechanical operation
- Superior cleaning performance
- 1150mm maximum sweeping width
- 6 x polyester cartridge filters as standard
- Forward and reverse traction
- Mechanical controls for lifting front brush and main brush
- Electronic speed control
- Electric filter shaker with wet pick up shut-off system
- Hopper lifting flap for bulky waste collection
- Hour counter and battery level indicator
- Seat safety sensor & safety horn
- Rear light & parking brake
- Complete with PPL main brush and side brushes

OPTIONAL ACCESSORIES

- Vacuum cleaning kit
- Front light
- Flashing beacon
- Overhead protection
- Reversing buzzer
- Non-Marking wheels
- Choice of filters
- Choice of brushes

	MAC SW70RB BATTERY MODEL	MAC SW70RP PETROL MODEL
Sweeping Width Centre Brush	700mm	700mm
Sweeping Width with Side Brush	1150mm	1150mm
Side Brush Width	420mm	420mm
Filter Surface Area	6m ²	6m ²
Working Capacity	6,200m ² per hour	7,700m ² per hour
Waste Hopper Capacity	62lt	62lt
Power Supply	Battery - 2 x 12v 180ah	Honda 5.5hp Petrol
Traction Drive	Forward and Reverse	Forward and Reverse
Weight	256kg	256kg
Dimensions (h x w x d)	114 x 91 x 143cm	114 x 91 x 143cm



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

STANDARD FEATURES

OF THE MAC SW70R



EASY TO USE CONTROLS



2 X FRONT BRUSHES AS STANDARD



ELECTRIC FILTER SHAKER



LARGE 62LT WASTE HOPPER

MAC SW70R OPTIONAL ACCESSORIES



SWEeper/ACC001
24V VACUUM
CLEANER KIT
 Including 24v vacuum, vacuum tools
 & cover with storage



SWEeper/ACC008
HEPA FILTER KIT



SWEeper/ACC002
OVERHEAD GUARD



SWEeper/ACC004
FLASHING BEACON

MAC SW70R STYLE

RIDE-ON SWEEPER



QUALITY INDUSTRIAL RIDE-ON FLOOR SWEEPER

- Unbeatable reliability and performance
- Large 62lt manual waste hopper
- Perfect for heavy-duty agricultural and industrial sweeping
- Forward and reverse traction

STANDARD FEATURES

- Robust steel chassis
- Simple mechanical operation
- 1150mm maximum sweeping width
- 2 x PPL front brushes as standard
- 6 x polyester cartridge filters as standard
- 62lt manual waste hopper
- Forward and reverse traction
- Heavy-duty superelastic rubber wheels
- Mechanical controls for lifting the front and main brushes
- Electronic speed control
- Electric filter shaker
- Wet pick-up shut off system
- Hopper lifting flap for bulky waste collection
- Hour counter and battery level indicator
- Seat safety sensor
- Safety horn and parking brake
- Rear flashing beacon

OPTIONAL ACCESSORIES

- Overhead protection
- Front lights
- Reversing buzzer
- Non-marking wheels
- Hepa cartridge filters
- PPL/Steel or Soft brush options
- Rubber side bumpers

	MAC SW70RB STYLE BATTERY MODEL	MAC SW70RP STYLE PETROL MODEL	MAC SW70RD STYLE DIESEL MODEL
Sweeping Width Centre Brush	700mm	700mm	700mm
Sweeping Width with Side Brush	1150mm	1150mm	1150mm
Side Brush Width	420mm	420mm	420mm
Filter Surface Area	6m ²	6m ²	6m ²
Working Capacity	6,200m ² per hour	7,700m ² per hour	7,700m ² per hour
Waste Hopper Capacity	62lt	62lt	62lt
Power Supply	Battery - 2 x 12v 180ah	Honda 5.5hp Petrol Engine	Yanmar 4.7hp Diesel Engine
Traction Drive	Forward and Reverse	Forward and Reverse	Forward and Reverse
Weight	260kg	260kg	260kg
Dimensions (h x w x d)	114 x 91 x 143cm	114 x 91 x 143cm	114 x 91 x 143cm



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

MAC SW70R STYLE AUTO

RIDE-ON SWEEPER



QUALITY INDUSTRIAL RIDE-ON FLOOR SWEEPER

- Unbeatable reliability and performance
- Complete with 62lt electric assisted waste hopper
- Perfect for heavy-duty agricultural and industrial sweeping
- Forward and reverse traction

STANDARD FEATURES

- Robust steel chassis
- Simple mechanical operation
- 1150mm maximum sweeping width
- 2 x PPL front brushes as standard
- 6 x polyester cartridge filters as standard
- 62lt electric assisted waste hopper
- 1100mm waste hopper lifting height
- Forward and reverse traction
- Heavy-duty superelastic rubber wheels
- Mechanical controls for lifting the front and main brushes
- Electronic speed control
- Electric filter shaker
- Wet pick-up shut off system
- Hopper lifting flap for bulky waste collection
- Hour counter and battery level indicator
- Seat safety sensor
- Safety horn and parking brake
- Rear flashing beacon

OPTIONAL ACCESSORIES

- Overhead protection
- Front lights
- Reversing buzzer
- Non-marking wheels
- Hepa cartridge filters
- PPL/Steel or Soft brush options
- Rubber side bumpers

	MAC SW70RB STYLE AUTO BATTERY MODEL	MAC SW70RP STYLE AUTO PETROL MODEL	MAC SW70RD STYLE AUTO DIESEL MODEL
Sweeping Width Centre Brush	700mm	700mm	700mm
Sweeping Width with Side Brush	1150mm	1150mm	1150mm
Side Brush Width	420mm	420mm	420mm
Filter Surface Area	6m ²	6m ²	6m ²
Working Capacity	6,200m ² per hour	7,700m ² per hour	7,700m ² per hour
Waste Hopper Capacity	62lt	62lt	62lt
Power Supply	Battery - 2 x 12v 180ah	Honda 5.5hp Petrol Engine	Yanmar 4.7hp Diesel Engine
Traction Drive	Forward and Reverse	Forward and Reverse	Forward and Reverse
Weight	260kg	260kg	260kg
Dimensions (h x w x d)	114 x 91 x 143cm	114 x 91 x 143cm	114 x 91 x 143cm



MAC SW78R GEMMA

RIDE-ON SWEEPER



OPTIONAL
POCKET FILTER



THE HEAVY-DUTY INDUSTRIAL MACHINE

- Superb reliability and build quality
- Large 115lt manual waste hopper
- Perfect for heavy-duty industrial sweeping
- Battery, Petrol or Diesel options available

STANDARD FEATURES

- Robust full steel chassis with durable plastic side panels
- Easy to use controls
- 1300mm maximum sweeping width
- 115lt manual waste hopper
- 8 x Polyester cartridge filters
- 2 x front brushes as standard
- Forward and reverse traction
- Heavy-duty superelastic rubber wheels
- Mechanical controls for lifting front and main brushes
- Automatic brush start system
- Electronic speed control
- Electric filter shaker
- Wet pickup shut-off system
- Hopper lifting flap for bulky waste collection
- Rear flashing beacon
- Hour counter and battery level indicator
- Seat safety sensor
- Safety horn and parking brake

OPTIONAL ACCESSORIES

- Overhead protection
- Complete enclosed operator cab
- Reversing buzzer
- Pocket filter option
- Choice of PPL/Steel or Natural brushes

	SW78RB GEMMA BATTERY MODEL	SW78RP GEMMA PETROL MODEL	SW78RD GEMMA DIESEL MODEL
Sweeping Width Centre Brush	780mm	780mm	780mm
Sweeping Width with 2 Side Brushes	1300mm	1300mm	1300mm
Side Brush Width	500mm	500mm	500mm
Filter Surface Area	6.4 m ²	6.4 m ²	6.4 m ²
Working Capacity	9,700m ² per hour	9,700m ² per hour	9,700m ² per hour
Waste Hopper Capacity	115lt	115lt	115lt
Power Supply	24v Battery – 4 x 6v 205ah	Petrol – Honda 6.5hp	Diesel – Yanmar 6.7hp
Traction Drive	Forward and Reverse	Forward and Reverse	Forward and Reverse
Max. Working Gradient	18%	18%	18%
Weight	450kg	450kg	450kg
Dimensions (h x w x d)	132 x 95 x 162cm	132 x 95 x 162cm	132 x 95 x 162cm



EASY ACCESS TO THE
BRUSH SYSTEM



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

MAC SW78R GEMMA AUTO

RIDE-ON SWEEPER



THE HEAVY-DUTY INDUSTRIAL MACHINE

- Superb reliability and build quality
- 1450mm waste hopper lifting height
- Large 115lt hydraulic assisted waste hopper
- Perfect for heavy-duty industrial sweeping
- Battery, Petrol or Diesel options available

STANDARD FEATURES

- Robust full steel chassis with durable plastic side panels
- Easy to use controls
- 1300mm maximum sweeping width
- 115lt hydraulic assisted waste hopper
- 1450mm waste hopper lifting height
- 8 x Polyester cartridge filters
- 2 x front brushes as standard
- Forward and reverse traction
- Heavy-duty superelastic rubber wheels
- Mechanical controls for lifting front and main brushes
- Automatic brush start system
- Electronic speed control
- Electric filter shaker
- Wet pickup shut-off system
- Hopper lifting flap for bulky waste collection
- Rear flashing beacon
- Hour counter and battery level indicator
- Seat safety sensor
- Safety horn and parking brake

OPTIONAL ACCESSORIES

- Overhead protection
- Complete enclosed operator cab
- Reversing buzzer
- Pocket filter option
- Choice of PPL/Steel or Natural brushes

	SW78RB GEMMA AUTO BATTERY MODEL	SW78RP GEMMA AUTO PETROL MODEL	SW78RD GEMMA AUTO DIESEL MODEL
Sweeping Width Centre Brush	780mm	780mm	780mm
Sweeping Width with 2 Side Brushes	1300mm	1300mm	1300mm
Side Brush Width	500mm	500mm	500mm
Filter Surface Area	6.4m ²	6.4m ²	6.4m ²
Working Capacity	9,700m ² per hour	9,700m ² per hour	9,700m ² per hour
Waste Hopper Capacity	115lt	115lt	115lt
Power Supply	24v Battery – 4 x 6v 205ah	Petrol – Honda 6.5hp	Diesel – Yanmar 6.7hp
Traction Drive	Forward and Reverse	Forward and Reverse	Forward and Reverse
Max. Working Gradient	18%	18%	18%
Weight	450kg	450kg	450kg
Dimensions (h x w x d)	132 x 95 x 162cm	132 x 95 x 162cm	132 x 95 x 162cm



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

MAC FLOORMASTER THE SCRUBBER DRIER RANGE



MAC
SCRUBBER DRIERS
SD700T

SD700T

MAC SD700T

PEDESTRIAN SCRUBBER DRIER



THE 700MM PEDESTRIAN SCRUBBER DRIER FROM MAC - STRONG, ROBUST AND RELIABLE

- Heavy-duty build quality
- Forward and reverse traction
- First class cleaning performance
- Perfect for large industrial environments

STANDARD FEATURES

- Reinforced polyethylene chassis & tank construction
- Forward & reverse electronic traction
- Robust rear traction wheels
- Large heavy-duty steel brush head
- Brush & drive motors with lifetime lubrication
- Electronic adjustable speed control
- Ergonomic control panel with safety controls
- Heavy-duty cast aluminium squeegee assembly
- Easy access to the solution tank for refilling
- Dirty water drain hose
- Water control lever
- Forward & reverse control switch
- Manual brush & squeegee operation
- Electronic battery indicator
- Drive handle with dead stop safety system
- Complete with PPL brushes, 4 x wet batteries and battery charger

MAC SD700T

Scrubbing Width	700mm
Squeegee Width	1030mm
Cleaning Performance	2500m ² per hour
Solution Tank Capacity	80lt
Recovery Tank Capacity	82lt
Brush Size	2 x 350mm
Brush Pressure	50-70kg
Brush Motor	2 x 24v, 375 watt
Suction Motor	1 x 24v, 550 watt
Drive Motor	1 x 24v, 500 watt
Drive System	Forward and Reverse
Speed	5km/h
Battery System	4 x 6v, 240ah Wet Batteries
Weight	355kg
Dimensions (h x w x d)	134 x 77 x 108cm

AREAS OF USE

- Factories
- Large Workshops
- Industry
- Shopping Centres
- Warehouses
- Large Retail
- Distribution
- Supermarkets



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

MAC SD500T / SD610T

PEDESTRIAN SCRUBBER DRIER



THE FLAGSHIP MEDIUM RANGE TRACTION DRIVE MACHINE – PROVEN YEAR AFTER YEAR

- Heavy-duty build quality
- Forward and reverse traction
- First class cleaning performance
- Extremely versatile

STANDARD FEATURES

- Reinforced polyethylene chassis & tank construction
- Forward & reverse electronic traction
- Robust rear traction wheels
- Large heavy-duty steel brush head
- Brush & drive motors with lifetime lubrication
- Electronic adjustable speed control
- Ergonomic control panel with safety controls
- Heavy-duty cast aluminium squeegee assembly
- Easy access to the solution tank for refilling
- Dirty water drain hose
- Water & detergent control lever
- Forward & reverse control switch
- Manual brush & squeegee lifting operation
- Drive handle with dead stop safety system
- Complete with PPL brush, 2 x wet batteries and battery charger

	MAC SD500T	MAC SD610T
Scrubbing Width	500mm	610mm
Squeegee Width	850mm	850mm
Cleaning Performance	1800m ² per hour	1950m ² per hour
Solution Tank Capacity	65lt	65lt
Recovery Tank Capacity	67lt	67lt
Brush Size	1 x 500mm	2 x 305mm
Brush Pressure	40kg	40kg
Brush Motor	1 x 24v, 375 watt	2 x 24v, 150 watt
Suction Motor	1 x 24v, 550 watt	1 x 24v, 550 watt
Drive Motor	1 x 24v, 200 watt	1 x 24v, 200 watt
Drive System	Forward and Reverse	Forward and Reverse
Speed	5km/h	5km/h
Battery System	2 x 12v, 157ah Wet Batteries	2 x 12v, 157ah Wet Batteries
Weight	230kg	230kg
Dimensions (h x w x d)	130 x 50 x 100cm	130 x 50 x 100cm



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

MAC SD500T BIG

PEDESTRIAN SCRUBBER DRIER



THE SD500 BIG IS NOW AVAILABLE WITH FORWARD & REVERSE ELECTRIC TRACTION

- Superb cleaning performance
- User friendly with simple controls
- Ultra lightweight with robust design
- Forward & reverse traction drive

STANDARD FEATURES

- Reinforced polyethylene chassis & tank construction
- Forward and reverse traction drive system
- Electronic adjustable speed control
- Separate suction, brush and water control switches
- Electric tank sensor
- Vac motor cutout safety system
- Brush motor with lifetime lubrication
- Ergonomic control panel with safety switches
- Simple switch controls
- Easy access to the solution tank for refilling
- Dirty water drain hose
- Water solenoid switch
- Adjustable control valve for water and detergent
- Manual brush & squeegee lifting operation
- Polyurethane coated rear wheels
- Complete with PPL brush, 2 x wet batteries and battery charger

MAC SD500T BIG

Scrubbing Width	500mm
Squeegee Width	810mm
Cleaning Performance	1800m ² per hour
Solution Tank Capacity	45lt
Recovery Tank Capacity	50lt
Brush Size	1 x 500mm
Brush Pressure	35kg
Brush Motor	1 x 24v, 375 watt
Suction Motor	1 x 24v, 550 watt
Drive Motor	1 x 24v, 180 watt
Drive System	Forward & Reverse
Battery System	2 x 12v, 120ah Wet Batteries
Weight	190kg
Dimensions (h x w x d)	115 x 55 x 100cm

AREAS OF USE

- Factories
- Large Workshops
- Industry
- Shopping Centres
- Warehouses
- Large Retail
- Distribution
- Supermarkets



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

MAC SD500B BIG

PEDESTRIAN SCRUBBER DRIER



THE SD500B BIG IS OUR TOP SELLING 500MM PEDESTRIAN SCRUBBER. PERFECT FOR GENERAL CLEANING

- Superb cleaning performance
- User friendly with simple controls
- Ultra lightweight with robust design

STANDARD FEATURES

- Reinforced polyethylene chassis & tank construction
- Brush assisted traction
- Separate suction, brush and water control switches
- Electric tank sensor
- Vac motor cutout safety system
- Brush motor with lifetime lubrication
- Ergonomic control panel with safety switches
- Simple switch controls
- Easy access to the solution tank for refilling
- Dirty water drain hose
- Water solenoid switch
- Adjustable control valve for water and detergent
- Manual brush & squeegee lifting operation
- Polyurethane coated rear wheels
- Complete with PPL brush, 2 x wet batteries and battery charger

MAC SD500B BIG

Scrubbing Width	500mm
Squeegee Width	810mm
Cleaning Performance	1500m ² per hour
Solution Tank Capacity	45lt
Recovery Tank Capacity	50lt
Brush Size	1 x 500mm
Brush Pressure	35kg
Brush Motor	1 x 24v, 375 watt
Suction Motor	1 x 24v, 480 watt
Drive Motor	Manual
Drive System	Brush Assisted
Battery System	2 x 12v, 120ah Wet Batteries
Weight	175kg
Dimensions (h x w x d)	115 x 55 x 100cm

AREAS OF USE

- Factories
- Large Workshops
- Industry
- Shopping Centres
- Warehouses
- Large Retail
- Distribution
- Supermarkets



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

MAC SD360B

PEDESTRIAN SCRUBBER DRIER



THE SD360B IS OUR ULTRA COMPACT MACHINE WHERE ACCESS & SPACE IS LIMITED

- On board battery charger
- Fully adjustable handle assembly
- Push button control panel
- Perfect for small areas

STANDARD FEATURES

- Reinforced polyethylene chassis & tank construction
- Brush assisted traction
- Ergonomic control panel with safety switches
- Push button control panel
- Fully adjustable handle system for access in small areas
- Separate brush, water and suction push buttons
- Adjustable control valve for water and detergent
- Electric water solenoid switch
- Recovery tank warning light
- Battery level indicator with low level cut-off system
- Polyurethane coated rear wheels
- Brush motor with lifetime lubrication
- Manual brush and squeegee lifting operation
- Easy fill solution tank
- Dirty water drain hose
- Complete with PPL brush, 2 x wet sealed batteries and on-board battery charger

MAC SD360B

Scrubbing Width	360mm
Squeegee Width	470mm
Cleaning Performance	900m ² per hour
Solution Tank Capacity	13lt
Recovery Tank Capacity	16lt
Brush Size	1 x 355mm
Brush Pressure	25kg
Brush Motor	1 x 24v, 200 watt
Suction Motor	1 x 24v, 480 watt
Drive Motor	Manual
Drive System	Brush Assisted
Battery System	2 x 12v, 22ah Wet Batteries
Weight (with Batteries)	67kg
Dimensions (h x w x d)	78 x 45 x 66cm

AREAS OF USE

- Welfare Areas
- Small Retail
- Kitchens
- Shopping Centres
- Leisure Facilities
- Walkways
- Corridors
- Pedestrian Areas
- Small Garages



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

MAC SD430B

PEDESTRIAN SCRUBBER DRIER



THE MODERN AND COMPACT 430B, PERFECT FOR MID-RANGE APPLICATIONS WHERE CABLE MACHINES JUST WON'T WORK

- Highly manoeuvrable
- Industrial build quality
- User friendly with simple controls
- Compact machine design

STANDARD FEATURES

- Reinforced polyethylene chassis & tank construction
- Brush assisted traction
- Polyurethane coated rear wheels
- Brush motor with lifetime lubrication
- Ergonomic control panel with safety switches
- Steel squeegee body with polyurethane squeegee blades
- Separate suction, brush and water control switches
- Easy access to the solution tank for refilling
- Dirty water drain hose
- Battery level indicator
- Low level battery cutout protection system
- Adjustable control valve for water and detergent
- Manual brush & squeegee lifting operation
- Complete with PPL brush, 2 x wet batteries and battery charger

MAC SD430B

Scrubbing Width	430mm
Squeegee Width	600mm
Cleaning Performance	1200m ² per hour
Solution Tank Capacity	20lt
Recovery Tank Capacity	22lt
Brush Size	1 x 430mm
Brush Pressure	30kg
Brush Motor	1 x 24v, 375 watt
Suction Motor	1 x 24v, 350 watt
Drive Motor	Manual
Drive System	Brush Assisted
Battery System	2 x 12v, 90ah Wet Batteries
Weight	97kg
Dimensions (h x w x d)	88 x 60 x 67cm

AREAS OF USE

- Workshops
- Small Retail
- Kitchens
- Toilets
- Shopping Centres
- Leisure Facilities
- Walkways
- Corridors
- Small Garages



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

MAC SD350E / SD400E

ELECTRIC PEDESTRIAN SCRUBBER DRIER

THE SD350E/SD400E ARE PERFECT CABLE POWERED SCRUBBER DRIERS FOR COMPACT AREAS

- 240v power supply
- Heavy-duty build quality
- Lightweight and compact
- First class cleaning performance



	MAC SD350E	MAC SD400E
Scrubbing Width	350mm	400mm
Squeegee Width	500mm	680mm
Cleaning Performance	900m ² per hour	1000m ² per hour
Solution Tank Capacity	13lt	20lt
Recovery Tank Capacity	16lt	21lt
Brush Size	1 x 350mm	1 x 400mm
Brush Pressure	25kg	25kg
Brush Motor	1 x 240v, 750 watt	1 x 240v, 750 watt
Suction Motor	1 x 240v, 850 watt	1 x 240v, 950 watt
Drive System	Brush Assisted	Brush Assisted
Weight	50kg	70kg
Dimensions (h x w x d)	62 x 40 x 50cm	90 x 45 x 98cm



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

MAC SD500E

ELECTRIC PEDESTRIAN SCRUBBER DRIER

THE MID-RANGE 500MM ELECTRIC SCRUBBER DRIER

- 240v power supply
- Extremely versatile
- Heavy-duty build quality
- First class cleaning performance



	MAC SD500E
Scrubbing Width	500mm
Squeegee Width	750mm
Cleaning Performance	1300m ² per hour
Solution Tank Capacity	30lt
Recovery Tank Capacity	31lt
Brush Size	500mm
Brush Pressure	25kg
Brush Motor	1 x 240v, 750 watt
Suction Motor	1 x 240v, 950 watt
Drive System	Brush Assisted
Weight	90kg
Dimensions (h x w x d)	110 x 55 x 100cm



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

MAC SD660R

RIDE-ON SCRUBBER DRIER



	MAC SD660R
Scrubbing Width	660mm
Squeegee Width	850mm
Cleaning Performance	3000m ² per hour
Solution Tank Capacity	70lt
Recovery Tank Capacity	71lt
Brush Size	2 x 330mm
Brush Pressure	50kg
Brush Motor	2 x 24v, 375 watt
Suction Motor	1 x 24v, 550 watt
Drive Motor	1 x 24v, 200 watt
Drive System	Forward and Reverse
Speed	5km/h
Battery System	2 x 12v, 140ah Wet Batteries
Weight (with Batteries)	300kg
Dimensions (h x w x d)	134 x 70 x 136cm

AREAS OF USE

- Retail
- Large Workshops
- Industry
- Shopping Centres
- Warehouses
- Narrow Corridors

OUR POWERFUL ENTRY LEVEL RIDE-ON SCRUBBER DRIER - COMPACT AND HIGHLY EFFECTIVE

- 660mm cleaning width
- Re-designed for improved performance
- Simple control systems
- Fast and efficient cleaning

STANDARD FEATURES

- Heavy-duty polyethylene tank construction
- Forward & reverse electronic traction
- Large heavy-duty steel brush head
- Brush & drive motors with lifetime lubrication
- Electronic adjustable speed control
- Water & detergent control lever
- Forward & reverse control switch
- Manual lifting lever for squeegee assembly
- Electronic battery indicator
- Foot operated drive control
- Ergonomic steering wheel and control panel with safety controls
- Robust rear traction wheels
- Heavy-duty cast aluminium squeegee assembly
- Easy access to the solution tank for refilling
- Dirty water drain hose
- Electric tank sensor with low-level vac motor cut-out system
- Complete with PPL brushes, 2 x wet batteries and battery charger

COMPREHENSIVE SAFETY FEATURES

- Electronic safety controls
- Emergency stop safety system
- Foot operated safety horn
- Parking brake
- Flashing beacon



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

MAC SD700R / SD800R

RIDE-ON SCRUBBER DRIER



THE SD700R & SD800R SCRUBBER DRIERS FROM MAC ARE PERFECT FOR GENERAL RIDE-ON USAGE

- Heavy-duty build quality
- Comprehensive safety features
- Forward and reverse traction
- Perfect for the largest cleaning applications

STANDARD FEATURES

- Heavy-duty Polyethylene tank construction
- Forward & reverse electronic traction
- Robust rear traction wheels
- Large heavy-duty steel brush head
- Brush & drive motors with lifetime lubrication
- Electronic adjustable speed control
- Ergonomic control panel with safety controls
- Heavy-duty cast aluminium squeegee assembly
- Easy access to the solution tank for refilling
- Ball valve for quick dirty water drainage
- Water & detergent control lever
- Forward & reverse control switch
- Electronic battery indicator
- Speed regulator
- Adjustable seat
- Complete with PPL brushes, 4 x wet batteries and battery charger

COMPREHENSIVE SAFETY FEATURES

- Electronic safety controls
- Emergency stop button
- Automatic seat sensor
- Reversing buzzer
- Flashing beacon
- Parking brake
- Safety horn

	MAC SD700R	MAC SD800R
Scrubbing Width	700mm	800mm
Squeegee Width	1030mm	1030mm
Cleaning Performance	3800m ² per hour	4200m ² per hour
Solution Tank Capacity	125lt	125lt
Recovery Tank Capacity	127lt	127lt
Brush Size	2 x 350mm	2 x 400mm
Brush Pressure	50-90kg	50-90kg
Brush Motor	2 x 24v, 375 watt	2 x 24v, 375 watt
Suction Motor	2 x 24v, 480 watt	2 x 24v, 480 watt
Drive Motor	1 x 24v, 500 watt	1 x 24v, 500 watt
Drive System	Forward and Reverse	Forward and Reverse
Speed	5km/h	5km/h
Battery System	4 x 6v, 425ah Wet Batteries	4 x 6v, 425ah Wet Batteries
Weight	580kg	590kg
Dimensions (h x w x d)	157 x 83 x 145cm	157 x 83 x 145cm

AREAS OF USE

- Factories
- Large Workshops
- Industry
- Shopping Centres
- Warehouses
- Large Retail
- Distribution
- Supermarkets



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

MAC SD1000R

RIDE-ON SCRUBBER DRIER



THE SD1000R IS THE LARGE 1 METRE RIDE-ON SCRUBBER DRIER FROM MAC

- Heavy-duty build quality
- Comprehensive safety features
- Forward and reverse traction
- Perfect for the largest cleaning applications

STANDARD FEATURES

- Heavy-duty Polyethylene tank construction
- Forward & reverse electronic traction
- Robust rear traction wheels
- Large heavy-duty steel brush head
- Brush & drive motors with lifetime lubrication
- Electronic adjustable speed control
- Ergonomic control panel with safety controls
- Heavy-duty cast aluminium squeegee assembly
- Easy access to the solution tank for refilling
- Ball valve for quick dirty water drainage
- Water & detergent control lever
- Forward & reverse control switch
- Electronic battery indicator
- Speed regulator
- Adjustable seat
- Complete with PPL brushes, 4 x wet batteries and battery charger

COMPREHENSIVE SAFETY FEATURES

- Electronic safety controls
- Emergency stop button
- Automatic seat sensor
- Reversing buzzer
- Flashing beacon
- Parking brake
- Safety horn

	MAC SD1000R
Scrubbing Width	1000mm
Squeegee Width	1150mm
Cleaning Performance	5500m ² per hour
Solution Tank Capacity	190lt
Recovery Tank Capacity	192lt
Brush Size	2 x 500mm
Brush Pressure	50-100kg
Brush Motor	1 x 36v, 1800 watt
Suction Motor	2 x 36v, 600 watt
Drive Motor	1 x 36v, 600 watt
Drive System	Forward and Reverse
Speed	5km/h
Battery System	6 x 6v, 425ah Wet Batteries
Weight	850kg
Dimensions (h x w x d)	180 x 105 x 145cm

AREAS OF USE

- Distribution
- Large Workshops
- Industry
- Shopping Centres
- Warehouses
- Large Retail
- Supermarkets



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

THE CARPET & UPHOLSTERY EXTRACTION CLEANER RANGE



MAC
EXTRACTION
E250S
HOT

MAC E110P

EXTRACTION MACHINE

ACCESSORY KIT



COMMERCIAL CARPET AND UPHOLSTERY CLEANER WITH 23LT TANK CAPACITY. COMPLETE WITH FULL ACCESSORY CLEANING KIT

Complete with full 36mm accessory kit, comprising of 1.5mt flexible hose, 6 piece accessory kit, extension wand, polyester dry filter, wet sponge filter, anti-foam protection.

	MAC E110P
Motors	1 x 2 Stage, Bypass
Voltage	240v
Total Watts	1250w
Tank Capacity	23lt
Tank Construction	Polypropylene
Detergent Tank Capacity	8lt
Airflow	60lt/second
Pump Capacity	0.8lt/minute
Suction	2250mm
Weight	18kg
Dimensions (h x w x d)	41 x 41 x 59cm



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

MAC E125S

EXTRACTION MACHINE

ACCESSORY KIT



37LT CARPET AND UPHOLSTERY CLEANER, PERFECT FOR LIGHT AUTOMOTIVE AND INDUSTRIAL WORK

Complete with 2.5mt flexible hose, upholstery nozzle, wet sponge filter, anti-foam protection.

	MAC E125S
Motors	1 x 2 Stage, Bypass
Voltage	240v
Total Watts	1400w
Tank Capacity	37lt
Tank Construction	Stainless Steel
Detergent Tank Capacity	8lt
Airflow	60lt/second
Pump Capacity	0.8lt/minute
Suction	2250mm
Weight	19kg
Dimensions (h x w x d)	41 x 41 x 81cm



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

MAC E330S

EXTRACTION MACHINE



LARGE 77LT EXTRACTION MACHINE, DESIGNED FOR HEAVY-DUTY INDUSTRIAL USE

Complete with 2.5mt flexible hose, upholstery nozzle, wet sponge filter, anti-foam protection.

MAC E330S

Motors	3 x 2 stage, Bypass
Voltage	240v
Total Watts	3300w
Tank Capacity	77lt
Tank Construction	Stainless Steel
Detergent Tank Capacity	20lt
Airflow	140lt/second
Pump Capacity	0.8lt/minute
Suction	2250mm
Weight	28kg
Dimensions (h x w x d)	59 x 60 x 110cm



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK

MAC E250S HOT

EXTRACTION MACHINE

ACCESSORY KIT



LARGE 77LT EXTRACTION MACHINE, COMPLETE WITH HEATING SYSTEM FOR INCREASED CLEANING PERFORMANCE

Complete with 2.5mt flexible hose, upholstery nozzle, wet sponge filter, anti-foam protection.

MAC E250S HOT

Motors	2 x 2 stage, Bypass
Voltage	240v
Total Watts	3600w
Tank Capacity	77lt
Tank Construction	Stainless Steel
Detergent Tank Capacity	20lt
Airflow	140lt/second
Pump Capacity	0.8lt/minute
Suction	2400mm
Weight	28kg
Dimensions (h x w x d)	59 x 60 x 110cm



DOWNLOAD THE DATASHEET FOR FULL SPECIFICATION AT WWW.MACINTERNATIONAL.CO.UK



MOBILE PRESSURE WASHERS
STATIC PRESSURE WASHERS
FLOORCARE

WWW.MACINTERNATIONAL.CO.UK